Contribution ID : 50 Type : not specified

## Scalar-induced gravitational waves with non-Gaussianity up to all orders

Monday, 29 September 2025 10:30 (20)

Scalar-induced gravitational waves (SIGWs) are ubiquitous in many early-Universe processes accompanied by non-Gaussianity; hence, precise calculations of SIGWs involve a full understanding of non-Gaussianity. Therefore, we propose to use the lattice simulations to directly calculate the energy density spectra of SIGWs with non-Gaussianity up to all orders. Our proposal has been first verified to match the existing semi-analytical results with non-Gaussianity, and then applied to more general cases, including high-order primordial non-Gaussianities, the logarithmic dependence in curvature perturbations, the curvaton model, and the ultra slow-roll model. We find that even a modest non-Gaussianity can significantly alter ultraviolet behaviors in SIGW spectra, necessitating special cautions in future detections as well as mutual constraints on/from primordial black holes.

**Primary author(s):** ZENG, Xiang-Xi (ITP, CAS)

Co-author(s): WANG, Shao-Jiang (Institute of Theoretical Physics, Chinese Academy of Sciences); NING,

Zhuan; CAI, Rong-Gen

**Presenter(s):** ZENG, Xiang-Xi (ITP, CAS)

Session Classification: Plenary